





### A Message **BPI** from the President

Bandhaye Pezeshki Iran (Public JSC) is a union of expertise, excellence and experience in service of providing the end-consumer with high quality products and exemplary customer support.

In participation and cooperation with reputable domestic and international companies, **BPI** has made every effort to develop the knowledge of producing medical disposable items whilst taking effective steps towards a growing production output by utilizing all scientific, industrial and executive capabilities available.

**BPI** advances forward by relying on the technical know-how, skillfulness and professionalism of its diligent personnel alongside forty years' worth of experience and an outlook on youth employment and succession planning. It is my hope that just as in the past, with the almighty's grace and the support of the cherished and hardworking medical community, we carry on being a proud force in the medical disposable item industry.

#### With 40 Years of Experience, **BPI** Guarantees Your Health

- The first and the only exporter of medical disposable items (orthopedic) in Iran.
- Holder of ISO9001 : 2015 (Quality Management) and ISO13485 : 2016 (Medical devices).
- Holder of **C** marking.
- The first manufacturer of Plaster of Paris bandage and Undercast Padding bandage in Iran.
- The first manufacturer of sanitary white and multi-colored cotton balls in Iran.
- The first holder of Iranian National Standards Organization certificate for Plaster of Paris bandage.
- Recipient of "Exemplary Manufacturer in Industrial and Medical Supplies" Award.
- Accredited laboratories by the Iranian national standards organization.
- Appointed company by Consumers and Producers Protection Organization.
- Appointed company for quality standard by the General Bureau of Standard Qazvin Province from 2013 to 2019.
- Additionally, holder of Iranian National Standard Organization certificates for sterile and non-sterile gauze swabs, hydrophilic zigzag cotton wool and white cotton balls, elastic compression, woven edged conforming dressing and burn bandages.



**BPI**'s Headquarters in Tehran, is outfitted with modern office equipment, systems and security kits.

**BPI**'s factory near Takestan, Qazvin, Iran has a plant site of 6 hectares (15 acres) and more than 12 thousand square meters of infrastructure. This includes equipped production halls, accredited laboratories, warehouses, office buildings, industrial water treatment system, electrical and gas utility posts, dining hall, accommodation rooms and other facilities.





## Production Lines of Bandhaye Pezeshki Iran (Public JSC)



























### List of **BPI** Products

<b>1- Orthopedic Plaster of Paris Bandages</b> (Leno Weaved Gauze Ne. 30, 40):	
BPI Gypso Band, BPI Solo Band, BPI Solona, BPI D-Cast	
2- BPI Orthopedic Plaster of Paris Splint (Rolls/Pre-Cuts)	
3- BPI Cast & BP Cast Orthopedic Fiberglass Casting Tapes	
4- BPI Fiber & BPI Non-Woven Orthopedic Synthetic Splints (Rolls/Pr	re-Cuts)
5- BPI Pediatric Intravenous Splint	
6- Orthopedic Undercast Padding Bandages (100% Pure Cotton): BPI Wibril, BPI Wellband	
7- Medical Bandages:	
BPI Tebbi Shafa Elastic Compression Bandage (Low/ Medium/ High Pr	essure)
BPI Tebbi Shafa Woven Edged Conforming Dressing Bandage	
BPI Tebbi Shafa Woven edged Conforming Burn Bandage	
8- Medical Gauze Swabs:	
BPI Tebbi Shafa Non-Sterile Gauze Swabs (With / Without Barium Thre	ad)
BPI Tebbi Shafa Sterille Gauze Swabs	
BPI Tebbi Shafa Dental Gauze Swabs	
9- White and Multi-Colored Cotton Balls:	
BPI Shabnam, BPI Nasim	
<b>10-</b> Hydrophilic Zigzag Cotton wool:	
<b>BPI</b> Shabnam, <b>BPI</b> Nasim	
11-BPI Cotton Sliver	
12- BPI Plastic Drawstring Bag	





Headquarters: (BPI Bldg.) No. 1, Kish Dead End, Kish Street, Africa (Nelson Mandela) Boulevard, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001 (10 lines) Fax: (9821) 86085263

Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran

E-mail:export.dept@bpi-co.com WebSite:www.bpi-co.com

## About Us

Bandhaye Pezeshki Iran **BPI** (Public JSC) was established in 1983 with the aim of producing and distributing medical disposable items (surgical, orthopedic and hygienic). Our first products were the Plaster of Paris Bandage and Undercast Padding Bandage, which to

this day, we continue to be the foremost provider in the country. Additionally, **BPI** is the first manufacturer of the aforementioned products and exporter of medical disposable items in Iran.

In 1998, **BP** was honored with "The first exporter of Medical disposable items (orthopedic) in Iran" plaque by the then president of the country. In the year 2000 we attained the **(E** marking while meeting all EU-wide requirements and have since continued to be a successful exporter to countries including the UK, Egypt, Sudan, Kuwait, Oman, Hong Kong, the Philippines, Taiwan, Malaysia, Armenia, Azerbaijan and the United Arab Emirates.

**BPI** has maintained a strong and constant presence in the medical society both domestically and internationally. We have displayed our products in exhibitions such as Iran Health, Arab Health and have also participated in MEDICA Trade Fair- the world's leading and number one platform for medical suppliers- for a decade since 1992.

**BPI** conforms to international Quality standards and is certified with ISO 9001:2015 (Quality Management) and ISO 13485:2016 (Medical devices-Quality Management Systems). In 2009, our laboratories were accredited by the Iranian National Standards Organization in order to test and approve the quality of other manufacturers' products.

Furthermore, **BP** was the recipient of the "Exemplary Manufacturer in Industrial and Medical Supplies" award in of 2009 and 2010 in Iran.

By using advanced and up to date international production lines under the complete

supervision of well-known manufacturers of the medical industry, **BP** offers products of the highest quality. Our current product range are as follows:

- Plaster of Paris Bandages (**BPI** Gypso Band, **BPI** Solo Band, **BPI** Solona, **BPI** D-Cast)
- Plaster of Paris Splint (**BP** POP Splint)
- Fiberglass Casting Tape (**BPI** Cast, **BPI** Cast)
- Synthetic Splints (**BPI** Fiber and **BPI** Non-Woven Splints)

- Pediatric Intravenous Splint (**BP** Intravenous Splint)
- Undercast Padding Bandages (**BPI** Wibril, **BPI** Wellband)
- Elastic Compression Bandage (BPI Tebbi Shafa Elastic Bandage)
- Woven Edged Conforming Dressing Bandage (**BP** Tebbi Shafa Dressing Bandage)
- Woven Edged Conforming Burn Bandage (**BP** Tebbi Shafa Burn Bandage)
- Sterile Gauze and Non-sterile Gauze Swabs (**BP** Tebbi Shafa Gauze Swabs)
- Hydrophilic Zigzag Cotton Wool (**BPI** Nasim, **BPI** Shabnam)
- White & Multi-Colored Cotton Balls (BPI Nasim, BPI Shabnam)
- BPI Cotton Sliver
- BPI Plastic Drawstring Bags

It is a point of pride for **BPI** to have been the first in Iran to produce the Plaster of Paris Bandage, Undercast Padding Bandage along White and Multi-Colored Cotton Balls.

BPI always strives to improve quality and quantity of its products

In order to meet the demands of the healthcare community. In the same vein, **BP**'s research and development (R&D) department is proactively operating and drawing on the latest technology and expertise available.

At **BPI**, people's health has always been our focus, "Your Health, Our Aim" defines the way in which we operate. We strive to improve public health levels by means of closely working with health professionals. In the four decades of experience working in the medical industry, we are honored our gain and we hope to continue in our endeavor to serve the public's well-being.





(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BP Solo Band / BP Gypso Band** Orthopedic Plaster of Paris Bandage







Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran











#### **BP** Gypso Band / **BP** Solo Band

#### **Orthopedic Plaster of Paris Bandage**

(Leno Weaved Gauze Ne. 40)

	he first brand of orthopedic Plaster of Paris bandage manufactured in Iran, ased on a unique formulation in compliance with international standards.
<b>BP</b> Solo Band / <b>BP</b> Gypso Band M	lanufactured by advanced machinery under the supervision of highly xperienced engineers.
BP Solo Band / BP Gypso Band Fe	eatures quick setting time, sufficient resistance and rigidity.
	a special combination of Leno weaved gauze (Ne. 40) and the highest
qu	uality of fine Gypsum powder with a crystalline structure giving great flexibility.
<b>BP</b> Solo Band / <b>BP</b> Gypso Band Co	omes in the length of 250 cm and various widths of 5, 7.5, 10, 15, 20 cm.
AI	lso available in jumbo rolls based on customers' requests.
BP Solo Band / BP Gypso Band Au	uthorized by:
Th	he Ministry of Health and Medical Education,
Th	he Ministry of Industry, Mine & Trade and The Standard Organization
of	fl.R. Iran



Description	Code Nu	DIM (am)	Packaging Specifications		Pair per	CTN DIM	GWT	CTN per CTR (Approx		
Description	<b>BPI</b> Gypso Band	<b>BPI</b> Solo Band	DIM (cm)	Pair per Box	Box per CTN	CTN	(cm)	(Kg)	20 ft	40 ft.
BPI	2132734121700031	2132734121700032	5×250	16	12	192	65×43×22		400	900
Gypso Band &	2132734121700036	2132734121700105	7.5×250	16	8	128	65×43×22		400	900
BPI	2132734121700041	2132734121700042	10×250	16	6	96	65×43×22	23	400	900
Solo Band "Orthopedic Plaster	2132734121700046	2132734121700047	15×250	16	4	64	65×43×22		400	900
of Paris Bandage (Ne.40)"	2132734121700051	2132734121700052	20×250	16	3	48	65×43×22		400	900



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BPI Solona / BPI D-Cast** Orthopedic Plaster of Paris Bandage (Leno Weaved Gauze Ne. 30)



E-mail:export.dept@bpi-co.com WebSite:www.bpi-co.com Page 10 of 44







### **BPI Solona / BPI D-Cast** Orthopedic Plaster of Paris Bandage

(Leno Weaved Gauze Ne. 30)

<b>BPI</b> Solona / <b>BPI</b> D-Cast	Based on a unique formulation in compliance with international standards.
<b>BPI</b> Solona / <b>BPI</b> D-Cast	Manufactured by advanced machinery under the supervision of highly
	experienced engineers.
<b>BPI</b> Solona / <b>BPI</b> D-Cast	Features quick setting time, sufficient resistance and rigidity.
<b>BPI</b> Solona / <b>BPI</b> D-Cast	ls a special combination of Leno weaved gauze (Ne. 88) and the highest
	quality of fine Gypsum powder with a crystalline structure giving great
	flexibility.
<b>BPI</b> Solona / <b>BPI</b> D-Cast	Comes in the length of 250 cm and various widths of 5, 7.5, 10, 15, 20 cm.
	Also available in jumbo rolls based on customers' requests.
<b>BPI</b> Solona / <b>BPI</b> D-Cast	Authorized by:
	The Ministry of Health and Medical Education,
	The Ministry of Industry, Mine & Trade and The Standard Organization
	of I.R. Iran



Description	Code N			aging ications	Pair per	CTN DIM	GWT	CTN per CTR (Approx.		
Description	BPI Solona	BPI D-Cast	DIM (cm)	Pair per Box	Box per CTN	CTN	(cm)	(Kg)	20 ft.	40 ft.
BPI	2132734121700033	2132734121700034	5×250	16	12	192	65×43×22		400	900
Solona &	2132734121700038	2132734121700039	7.5×250	16	8	128	65×43×22		400	900
BPI	2132734121700043	2132734121700044	10×250	16	6	96	65×43×22	18.5	400	900
<b>D-Cast</b> "Orthopedic	2132734121700048	2132734121700049	15×250	16	4	64	65×43×22		400	900
Plaster of Paris Bandage (Ne. 30)"	2132734121700053	2132734121700054	20×250	16	3	48	65×43×22		400	900



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BPI POP Splint** Orthopedic Plaster of Paris Splint



Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran









### **BPI POP Splint** Orthopedic Plaster of Paris Splint

<b>BPI</b> POP Splint	Manufactured by advanced machinery under the supervision of highly experienced engineers.
<b>BPI</b> POP Splint	Features quick setting time, sufficient resistance and high rigidity, proven under physical and mechanical tests.
<b>BPI</b> POP Splint	Manufactured using high quality Leno weaved gauze.
-	Available in various lengths and widths based on customers' requests.
<b>BPI</b> POP Splint	Time-saving and clean application.
<b>BPI</b> POP Splint	Authorized by:
	The Ministry of Health and Medical Education,
	The Ministry of Industry, Mine & Trade and The Standard Organization

of I.R. Iran



Description	Description Code Number DIM (cm) Item p			CTN DIM	GWT	CTN per CTR (Approx.)		
Description			Item per CTN	(cm)	(Kg)	20 ft.	40 ft.	
	2133212121700001	10×38	20	38×12×37.5	4.5	300	450	
	2133212121700026	10×40	20	38×12×37.5	4.7	300	450	
	2133212121700021	10×50	16	38×12×37.5	4.7	300	450	
	2133212121700003	10×60	12	38×12×37.5	4.3	300	450	
BPI	2133212121700005	10×70	10	38×12×37.5	4.2	300	450	
	2133212121700027	15×50	14	38×17×37.5	7.1	300	450	
<b>POP Splint</b>	2133212121700028	15×60	11	38×17×37.5	6.7	300	450	
	2133212121700013	15×70	10	38×17×37.5	7.1	300	450	
"Orthopedic Plaster of Paris	2133212121700015	15×90	7	38×17×37.5	6.4	300	450	
Splint"	2133212121700029	20×80	8	38×22×37.5	9.8	300	450	
Spinie	2133212121700019	20×90	7	38×22×37.5	9.6	300	450	
	2133212121700020	20×100	7	38×22×37.5	10.6	300	450	
	2133212121700023	10×750	1	38×12×37.5	4.7	300	450	
	2133212121700034	12.5×750	1	38×17×37.5	6.7	300	450	
	2133212121700024	15×750	1	38×17×37.5	8	300	450	
	2133212121700025	20×750	1	38×22×37.5	11.9	300	450	



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **(BPI/BP)**Cast Orthopedic Fiberglass Casting Tape



Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran









## **(BPI/BP)**Cast Orthopedic Fiberglass Casting Tape

( <b>BPI/BP</b> )Cast	Manufactured by advanced machinery based on a unique and proprietary
	formulation of fine resin and fiberglass tape.
( <b>BPI/BP</b> )Cast	Manufactured from an ideal woven tape, enables conformability for a
	well-fitting anatomic cast.
( <b>BPI/BP</b> )Cast	Easily wrapped and molded to different body contours especially around
	bony prominences such as joints, elbows, ankles, heels without getting tucked or
	folded.
( <b>BPI/BP</b> )Cast	Excellent X-Ray penetrability leading to easier diagnosis of the patient's recovery
	status.
( <b>BPI/BP</b> )Cast	Moisture repellent and permeable to air, preventing odor, skin irritation and other
	allergic reactions.
( <b>BPI/BP</b> )Cast	Has sufficient strength, rigidity and is lightweight.
( <b>BPI/BP</b> )Cast	
	The Ministry of Health and Medical Education,
	The Ministry of Industry, Mine & Trade and The Standard Organization
	of I.R. Iran



Description	Code Number		DIM	Packaging Specifications		RL per	CTN	GWT	CTN per CTR (Approx.)	
Description	BPI Cast	BP Cast	(inch × yard)	RL per Box	Box per CTN	CTN	DIM (cm)	(Kg)	20 ft.	40 ft.
	2132734121700075	2132734121700071	2×4	10	10	100	71×37×35	14.5	250	500
(BPI / BP) Cast	2132734121700076	2132734121700072	3×4	10	10	100	71×37×35	18.5	250	500
"Orthopedic Fiberglass Casting	2132734121700077	2132734121700073	4×4	10	10	100	71×37×35	23	250	500
Tape"	2132734121700078	2132734121700074	5×4	10	10	100	71×37×35	27	250	500



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BP** Synthetic Splint Orthopedic Synthetic Splints

(Fiberglass / Non-Woven)





Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran











(Fiberglass / Non-Woven)

<b>BP</b> Synthetic Splint	Manufactured by advanced machinery under the supervision of highly experienced engineers.
<b>BP</b> Synthetic Splint	Sufficient resistance, quick and easy to use and store, no gloves required,
<b>BP</b> Synthetic Splint	suitable flexibility during application. Soft and lightweight with smooth edges, prevents perspiration, anti-
	allergic.
<b>BP</b> Synthetic Splint	Excellent X-Ray penetrability.
<b>BP</b> Synthetic Splint	Weight-bearing in 20 minutes.
<b>BP</b> Synthetic Splint	Authorized by:
	The Ministry of Health and Medical Education, The Ministry
	of Industry, Mine & Trade and The Standard Organization of I.R. Iran



Description	Code Number		DIM		Packaging Specifications		Item per	CTN	GWT (Kg)		CTN per CTR (Approx.)	
Description	Fiber	Non-Woven	cm	yard / inch	Item per PK	PK per CTN	CTN	DIM (cm)	Fiber	Non- Woven	20 ft.	40 ft.
	2133212121700036	2133212121700049	7.5×38	3"×15"	5	8	40	61×43×22	7.9	6.2	300	450
	2133212121700038	2133212121700051	10 ×38	4"×15"	5	8	40	61×43×22	9.4	7.2	300	450
	2133212121700039	2133212121700050	10 ×63	4"×25"	5	6	30	61×43×22	11.7	8.9	300	450
BPI	2133212121700040	2133212121700052	10 ×76	4"×30"	5	6	30	61×43×22	13.3	9.9	300	450
Synthetic	2133212121700042	2133212121700054	12.5×76	5"×30"	5	6	30	53×44×43	15.6	11.3	300	450
Splint	2133212121700043	2133212121700055	12.5×114	5"×45"	5	4	20	53×44×43	15.4	11.1	300	450
"Orthopedic	2133212121700045	2133212121700057	15 ×76	6"×30"	5	4	20	53×44×43	13	9.6	300	450
Synthetic Splints (Fiberglass /	2133212121700046	2133212121700058	15 ×114	6"×45"	5	4	20	53×44×43	17.7	12.5	300	450
Non-woven)"	2133212121700037	2133212121700048	7.5×450	3"×5 yd	1	4	4	44×31×53	10.6	7.9	300	450
	2133212121700041	2133212121700053	10 ×450	4''×5 yd	1	4	4	44×31×53	12.2	9.1	300	450
	2133212121700044	2133212121700056	12.5×450	5"×5 yd	1	4	4	59×31×53	14.2	10.3	300	450
	2133212121700047	2133212121700059	15 ×450	6"×5 yd	1	4	4	59×31×53	16.2	11.5	300	450



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



## **BPI Intravenous Splint** Pediatric Intravenous Splint











## **BPI** Intravenous Splint

Pediatric Intravenous Splint

<b>BPI</b> Intravenous Splint	Immobilizes the injured limb during procedure allowing the free flow
	of intravenous fluids.
<b>BPI</b> Intravenous Splint	Prevents movement of the phlebotomy devices (e.g. IV catheter,
	scalp vein) and acts as a stabilizer throughout the intravenous therapy
	administration.
<b>BPI</b> Intravenous Splint	Prevents risk of Thrombophlebitis.
<b>BPI</b> Intravenous Splint	Inflexible.
<b>BPI</b> Intravenous Splint	Soft, lightweight and anti-allergic.
<b>BPI</b> Intravenous Splint	Authorized by:
	The Ministry of Health and Medical Education, The Ministry of
	Industry, Mine & Trade and The Standard Organization

of I.R. Iran



Destation	C. I. N. J.	DIM (cm)	Packaging Specifications		Item per	CTN	GWT	CTN per CTR (Approx.)	
Description	Code Number		Item per PK	PK per CTN	CTN	DIM (cm)	(Kg)	20 ft.	40 ft.
врі	2132115121700001	5×5	120	4	480	33 × 22 × 22	2.9	400	550
Intravenous Splint	2132115121700002	5×10	80	4	320	33 × 22 × 22	3.6	400	550
"Pediatric IV Splint"	2132115121700003	5 × 15	60	4	240	33 × 22 × 22	4	400	550



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BPI** Wibril / **BPI** Wellband

**Orthopedic Undercast Padding Bandage (100% Pure Cotton)** 











## **BPI** Wibril / **BPI** Wellband

**Orthopedic Undercast Padding Bandage (100% Pure Cotton)** 

<b>BPI</b> Wibril	The first brand of orthopedic undercast padding bandage in Iran, manufactured from
	100% pure bleached cotton, used underneath our standard casts (BPI Gypso Band,
	BPI Solo Band, BPI Solona, BPI D-Cast, BP Cast or BPI Cast).
<b>BPI</b> Wibril / <b>BP</b> Wellband	Non-absorbent, preventing odor, skin irritation and other allergic reactions.
<b>BPI</b> Wibril / <b>BP</b> Wellband	Soft, smooth and durable with a suitable stretch manufactured by advanced
	European machinery and packaged in resilient plastic covers to protect from dust
	and contamination.
<b>BPI</b> Wibril / <b>BP</b> Wellband	Sterilizable by steam at 134° C after removal of packaging.
<b>BPI</b> Wibril / <b>BP</b> Wellband	Comes in the length of 275 cm and various widths of 5, 7.5, 10, 15, 20 cm. Also
	available in other lengths based on customers' requests.
<b>BPI</b> Wibril / <b>BP</b> Wellband	Authorized by:
	The Ministry of Health and Medical Education, The Ministry of Industry, Mine &

Trade and The Standard Organization of I.R. Iran



Description	Code N	DIM		kaging fications RL per		. CTN DIM	GWT	CTN per CTR (Approx.)		
Description	<b>BPI</b> Wibril	<b>BPI</b> Wellband	(cm)	RL per Box	Box per CTN	CTN	(cm)	(Kg)	20 ft.	40 ft.
BPI	2132734121700094	2132734121700099	5×275	64	12	768	65×43×41		225	450
Wibril &	2132734121700095	2132734121700100	7.5×275	42	12	504	65×43×41		225	450
<b>BPI</b> Wallbard	2132734121700096	2132734121700101	10×275	32	12	384	65×43×41	12	225	450
Wellband "Orthopedic Undercast Padding	2132734121700097	2132734121700102	15×275	21	12	252	65×43×41		225	450
Bandage (100% Pure Cotton)"	2132734121700098	2132734121700103	20×275	16	12	192	65×43×41		225	450



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BPI** Tebbi Shafa Elastic Bandage

Elastic Compression Bandage (Low / Medium / High) Pressure



Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran











## **BPI** Tebbi Shafa Elastic Bandage

Elastic Compression Bandage (Low / Medium / High) Pressure

BPI Tebbi Shafa Elastic Bandage M	Manufactured from cotton and high quality synthetic yarns interwoven
v	with rubber threads of high tensile strength using advanced machinery
a	and in compliance with international standards.
BPI Tebbi Shafa Elastic Bandage U	Jsed to provide support and consistent pressure for immobilization,
r	relief and rehabilitation of the injured limb.
<b>BPI</b> Tebbi Shafa Elastic Bandage C	Can be washed and reused, has low absorption to oily substances like
o	pintments.
BPI Tebbi Shafa Elastic Bandage P	Permeable to air, allows skin to breath.
<b>BPI</b> Tebbi Shafa Elastic Bandage C	Comes in the length of 4/5 meters when fully stretched and various
v	widths of 5, 7/5, 10, 15, 20 cm. Also available in other lengths based on
c	customers' requests.
<b>BPI</b> Tebbi Shafa Elastic Bandage A	Authorized by:
т	רhe Ministry of Health and Medical Education, The Ministry of Industry,
Ν	Mine & Trade and The Standard Organization of I.R. Iran



Description		Code Number	DIM		aging cations	RL per	CTN	GWT	CTN per CTR (Approx.)		
Description	Low Pressure	Medium Pressure	High Pressure	(cm)	RL per	Box per	CTN	DIM (cm)	(Kg)	20 ft.	40 ft.
BPI	2132121121700059 2132121121700064 2132121121700156 5×450* 32 16		512	65×43×22		400	900				
Tebbi Shafa	2132121121700060	2132121121700065	2132121121700157	7.5×450*	20	16	320	65×43×22		400	900
Elastic Bandage	2132121121700061	2132121121700066	2132121121700158	10×450*	16	16	256	65×43×22	12	400	900
"Elastic Compression	2132121121700062	2132121121700067	2132121121700159	15×450*	10	16	160	65×43×22		400	900
Bandage (low/ Medium/ High Pressure)"	2132121121700063	2132121121700068	2132121121700160	20×450*	8	16	128	65×43×22		400	900



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



## **BPI** Tebbi Shafa Dressing & Burn Bandage **Woven Edged Conforming Bandages**







E-mail:export.dept@bpi-co.com WebSite:www.bpi-co.com Page 24 of 44





#### **BPI** Tebbi Shafa Dressing & Burn Bandage Woven Edged Conforming Dressing & Burn Bandages

BPI	Tebbi Shafa Dressing & Burn Bandage	Manufactured from cotton and high quality synthetic yarns with a
		woven finished edge, using advanced machinery and in compliance
		with international standards.
BPI	Tebbi Shafa Dressing & Burn Bandage	Conforms around different body contours, applies minimum pressure
		with no major limitation to the movement of the injured limb.
BPI	Tebbi Shafa Dressing & Burn Bandage	Used to provide support and consistent pressure on the wound with no
		slippage over the skin.
BPI	Tebbi Shafa Dressing & Burn Bandage	Permeable to air, allows skin to breath.
BPI	Tebbi Shafa Dressing & Burn Bandage	Comes in the lengths of 3, 4 and 5 yards when fully stretched and various
		widths of 5, 7.5, 10, 15, 20 cm. Also available in other lengths based
		on customers' requests.
BPI	Tebbi Shafa Dressing & Burn Bandage	Authorized by:
		The Ministry of Health and Medical Education, The Ministry of
		Industry, Mine & Trade and The Standard Organization of I.R. Iran



#### Packing and Loading List

Descritption	Code N			pecification	RL per	CTN DIM	GWT (Kg)		CTN per CTR (Approx.)		
	Burn Bandage	Dressing Bandage	DIM (cm×yard)	RL Per Box	Box Per CTN	CTN	(cm)	Burn Bandage	Dressing Bandage	20 ft	40 ft
<b>BPI</b> Tebbi Shafa	2132121121700089	2132121121700094	5×4*	60	16	960	65×43×22			400	900
	2132121121700090	2132121121700095	7.5×4*	36	16	576	65×43×23		7	400	900
Dressing/Burn Bandage ''Woven	2132121121700091	2132121121700096	10×4*	30	16	480	65×43×24	8.3		400	900
Edge Conforming Bandage''	2132121121700092	2132121121700097	15×4*	18	16	288	65×43×25			400	900
	2132121121700093	2132121121700098	20×4*	15	16	240	65×43×26			400	900

\* Streched Length



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BPI** Tebbi Shafa Gauze Swabs

Non-Sterile Gauze Swabs (with & without Barium thread)



Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran





E-mail:export.dept@bpi-co.com WebSite:www.bpi-co.com Page 26 of 44





#### **BPI** Tebbi Shafa Gauze Swabs Non-Sterile Gauze Swabs (with & without Barium thread)

BPI Tebbi Shafa Gauze Swabs Manufactured from bleached cloth made from 100% pure cotton. The cutting, folding and packaging process ensure safe

application under any dressings.  $\label{eq:starsest} \textbf{BPI} Tebbi Shafa Gauze Swabs} \hspace{0.5cm} \textbf{Manufactured by advanced machinery under the supervision}$ of highly experienced engineers resulting in high quality, standard compliant swabs with little to no fraying. BPI Tebbi Shafa Gauze Swabs Sterilizable, good absorption capacity, used for wound

cleansing and wound dressing. BPI Tebbi Shafa Gauze Swabs Available in threads Ne: 20, 30 and in 8, 12 and 16 ply varieties.

BPI Tebbi Shafa Gauze Swabs With folded edge and offered in two versions of with and without X-Ray detectable threads (Barium Sulphate).

**BPI** Tebbi Shafa Gauze Swabs Authorized by:

The Ministry of Health and Medical Education, The Ministry of Industry, Mine & Trade and The Standard Organization of I.R. Iran



Description		Code N		DIM (cm) Pad No.		. (Approx.)	Box per	CTN	GWT	CTN per CTR (Approx.)		
Descript	.1011	Without Barium thread	With Barium thread	Ply No.	Thread Ne.	per Box (500 gr)	per Box (100 gr)	CTN	DIM (cm)	(Kg)	20 ft.	40 ft.
		2132121121700046		8		130						
BPI					10×10	130		20	54×43×27.5			
Tebbi	"Non-Sterile	2132121121700047	2132121121700053	16	Thread Ne 20	65						
Shafa	Gauze Swabs (with and without											
Gazue swabs Non-Sterile Gauze	Barium thread)"	2132121121700048		8	10×10 Thread Ne 30	180		20	54×43×27.5	11	400	800
Swabs (with & without Barium		2132121121700049	2132121121700056	16		90						
thread)	"Dental Gauze Swabs"	2132121121700050		16	5×5 Thread Ne 20		50	100	54×43×27.5			



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



## **BPI Tebbi Shafa Gauze Swabs** Sterile Gauze Swabs



Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran









#### **BPI Tebbi Shafa Gauze Swabs** Sterile Gauze Swabs

<b>BPI</b> Tebbi Shafa Gauze Swabs	Manufactured from bleached cloth made from 100% pure cotton.
	The cutting, folding and packaging process ensure safe application
	under any dressings.
<b>BPI</b> Tebbi Shafa Gauze Swabs	Manufactured by advanced machinery under the supervision of
	highly experienced engineers resulting in high quality, standard
	with little to no fraying.
<b>BPI</b> Tebbi Shafa Gauze Swabs	Good absorption capacity, used for wound cleansing and initial
	wound dressing.
<b>BPI</b> Tebbi Shafa Gauze Swabs	Offered in thread Ne: 30 with 8 plies.
<b>BPI</b> Tebbi Shafa Gauze Swabs	Sterilized using Gamma rays and safely stored in single unit packs.
<b>BPI</b> Tebbi Shafa Gauze Swabs	Authorized by:
	Ministry of Health and Medical Education, Ministry of Industry,
	Mine & Trade and The Standard Organization of I.R. Iran




			DIM (cm)/	Packaging Specifications		Pad per	CTN	GWT	CTN per CTR (Approx.)	
Description	Code Number	Ply No.	Thread Ne.	Pad per Box	Box per CTN	CTN	DIM (cm)	(Kg)	20 ft.	40 ft.
<b>BPI</b> T ebbi Shafa Gauze Swabs "Sterile Gauze Swabs"	2132121121700050	8	10 × 10 Thread Ne. 30	70	27	1890	44×44×44	11.6	325	675



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



## **BPI** (Shabnam, Nasim) White and Multi-Colored Cotton Balls **BPI** (Shabnam, Nasim)



Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran





E-mail:export.dept@bpi-co.com WebSite:www.bpi-co.com Page 30 of 44







**BPI** (Shabnam, Nasim) Hydrophilic Zigzag Cotton Wool

(BPI Shabnam) "White & Hydrophilic" (BPI Nasim) "Multi-Colored & Hydrophobic" Cotton Balls	( <b>BPI</b> Shabnam, <b>BPI</b> Nasim) Hydrophilic Zigzag Cotton Wool
✓ 100% pure cotton	✓ 100% pure cotton
Manufactured by fully automatic machinery and utilizing modern scientific techniques, using only the finest quality harvested from prominent cotton plants in Iran.	<ul> <li>Manufactured by fully automatic machinery and utilizing modern scientific techniques, using only the finestquality harvested from prominent cotton plants in Iran.</li> </ul>
<ul> <li>The process of cleaning, carding, combing, bleaching and packing is done according to international standards.</li> </ul>	<ul> <li>The process of cleaning, carding, combing, bleaching and packing is done according to international standards.</li> </ul>
✓ Available in variants of 50,100 and 200 grams and packaged in sealed plastic drawstring bags to protect from dust and contamination. Great for dental procedures, removal of make up and wound care.	Available in variants of 50, 100 and 200 grams and packaged in sealed plastic drawstring bags to protect from dust and contamination.The fine consistency in layers make the zigzag cotton wool suitable for providing padding or used for different dressing purposes.

Authorized by: Ministry of Health and Medical Education, Ministry of Industry, Mine & Trade And The Standard Organization of I.R. Iran



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BPI** Cotton Sliver



Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran





## **BPI** Cotton Sliver

<b>BPI</b> Cotton Sliver	Manufactured from 100% pure bleached cotton, mostly used in cosmetics
	and personal hygiene industry.
<b>BPI</b> Cotton Sliver	Soft and smooth, preventing skin irritation and other allergic reactions.
<b>BPI</b> Cotton Sliver	Manufactured by advanced machinery without using additives and packaged
	in a way to protect from dust and contamination.
<b>BPI</b> Cotton Sliver	Ideal for manufacturing cotton swabs (white or multi-colored) and dental
	rolls, can be produced in either hydrophobic or hydrophilic variants.
<b>BPI</b> Cotton Sliver	Effective in preventing skin contact with chemical substances present in
	cosmetics by having long parallel fibers arranged in a uniform way.
<b>BPI</b> Cotton Sliver	Sterilizable by steam at 134° C after removal of packaging.
<b>BPI</b> Cotton Sliver	Comes in different weights, lengths and diameters based on customers'
	requests.
<b>BPI</b> Cotton Sliver	Authorized by:
	The Ministry of Industry, Mine & Trade of I.R. Iran



Description	Code Number	Linear density (gr/m)	CTN DIM (cm)	GWT (Kg)	CTN per CTR (Approx.)	
					20 ft.	40 ft.
<b>BPI</b> Cotton Sliver	213212112170005000	3	$75 \times 75 \times 75$	15	70	140
	213212112170006000	3.5	$75 \times 75 \times 75$		70	140
	213212112170007000	4	$75 \times 75 \times 75$		70	140
	213212112170008000	4.5	$75 \times 75 \times 75$		70	140
	213212112170009000	5	$75 \times 75 \times 75$		70	140



(Public JSC) Manufacturer & Exporter of Medical Disposable Items



# **BPI** Plastic Drawstring Bags





Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 86085263 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran









# **BPI** Plastic Drawstring Bags

<b>BPI</b> Plastic Drawstring Bags	Ideal use for Hydrophilic Zigzag cotton wool, cosmetic and
	sanitary cotton balls, cosmetic cotton pads and sanitary pads.
<b>BPI</b> Plastic Drawstring Bags	Manufactured from medical grade Polyethylene, suitable for
	packing food and sanitary articles.
<b>BPI</b> Plastic Drawstring Bags	Is easily accessible, can be completely closed simply by pulling
	its strings in opposite directions.
<b>BPI</b> Plastic Drawstring Bags	Available as single or double string, bottom flat, top flat or
	bottom sealed variants with perforation.
<b>BPI</b> Plastic Drawstring Bags	Manufactured exclusively by BPI in Iran using advanced
	and fully automatic machinery.
<b>BPI</b> Plastic Drawstring Bags	Comes in different sizes and different string colors based on
	customers' needs.
<b>BPI</b> Plastic Drawstring Bags	Authorized by:
	The Ministry of Industry, Mine & Trade of I.R. Iran



Description	Code Number	DIM (cm)	CTN DIM	GWT (Kg)	CTN per CTR (Approx.)		Notes	
		()	(cm)	(8/	20 ft.	40 ft.		
	213212112170050000	11×25	65×38×20		590	1180	Min plastic width: 8 cm	
BPI	213212112170060000	13×30	65×38×20		590	1180	Max plastic width: 30 cm	
Plastic	213212112170070000	17×25	65×38×20	25	590	1180		
Drawstring	213212112170080000	17×40	65×38×20		590	1180	Min plastic length: 15 cm	
Bags	213212112170090000	21×30	65×38×20		590	1180	Max plastic length: 70 cm	

### Packing and Loading List



Ref: IRN/2006/06/02

Bandhaye Pezeshki Iran (Public J.S. Mfg., Co.) 4th Floor, No.1, Kish Dead end Kish St. Africa (Nelson Mandela) Blvd. Tehran Iran Advena Limited Registered Addresses: Malta Office Tower Business Centre, 2<sup>nd</sup> Flr, Tower Street, Swatar, BKR 4013. Malta Registered in Malta No. C 76865

UK Office Pure Offices, Plato Close, Tachbrook Park Warwick. CV34 6WE. United Kingdom Registered in England & Wales No. 3517275

T: +44 1926 800153 E: info@advenamedical.com

#### **EU Authorised Representative Mandate - Letter of Designation**

It is hereby certified that the above non-European Medical Device Manufacturer has fulfilled the requirements and terms, including payment of fees, of this European Authorised Representative Agreement and Mandate duly executed on 01<sup>st</sup> June 2017;

And which is now declared valid.

From: 01 <sup>st</sup> June 2020	То:	31 <sup>st</sup> May 2021
----------------------------------	-----	---------------------------

And the labelling marking;



Advena Ltd. Pure Offices, Plato Close, Warwick CV34 6WE United Kingdom.

May be applied to the medical devices as described within the applicable Declaration(s) of Conformity lodged with the Authorised Representative.

#### Certified by the Authorised Representative;

Anthony Kirby Director Advena Limited

Dated: 24<sup>th</sup> July 2020



www.advenamedical.com













VFTATYAAT : Junk سازمان ملى استأمارد ايران تكويخ صدود الإلها 17477-F/1F 1749/-5/15 in the بردانه كاربرد حلامت اسآندار دشويقي براساس قانون اصلاح قوانين ومقررات سازمان ملى استاندارد ايران مصوب يكمزار ومصد ومفتاد ويك و دراجراي قرارداد شارو ١٧٦١١٥٦١ مورخ ١٣٩٧/٠٥/١٦ به موجب این پرواز اجازه داده می شود : شرکت توانیدی باندهای پزشک ایدان با رعایت قوانین و مقررات مربوطه و اساندارد بلی تماره ۱۹۵۷ از علامت استذارد ایران برای محصول باند عشی تخت و غیر چمبنده با فشاد کم، متوسط و بالا و باند کشی تخت و غیر چمبنده شکل پذیر بانام دیا علامت تحارى " طب شفا BPI" استفاده نايد. <sup>ا</sup>نْتَالْ: ازوین - تاکستان - التهای کمریندی - روبروی سیلو شمتاتو وارتده بدون وزمند جلت بشتران دكرجل محاني 1-1-4TTYEE : 0-C م بانان می المتدارد ارا مت الماران ووازار تاريخ صدور اتحدد مال امت این بدازمان مولکرام و مردمة فاقد احبار است سروس ماري YPTATA-TT Buch سازمان ملى اسآزارد ايران 1847/-P/1P تكوق عداد الأما 17941-5/15 المحاصدة بروانه كاربرد علامت اسآندار دشويقي براساس قانون اصلاح قوانمن ومقررات سازمان على استاندارد ايران مصوب يكمزار ومصد ومنتاد ويك و در اجراي قرارداد شاره ١٣٩٧/٠٥/١٢ مورخ ١٣٩٧/٠٥/١٢ به موجب ان برواند اعازه داده می شود : شرکت تودیدی باندهای بزشک ایداد بارعایت قوانین و مقررات مربوطه و استندارد بلی شاره ۱۱۸۰۶ از علامت استدارد ايران براي محصول بالد عجى بانام وباعلامت تجارى "دى محمة BPI D-Cast و BPI D-Cast". "جييمو بالد ايران و علامة شبة شده". "ملو بالد BPI Solo Band و BPI "و "ملونا BPI و BPI Solona" اسماده نام. نْكُوْنَ: فَرُوبِنَ - نَاكَسَتْنَ - الْتَهَاي كَمَرِبَنَدِي - روبروي سِلُو شمنا توجه وارزه برداز رايه مندد حات بشت ان وك جلب مى خد ازطرف أرض ساندان فى استقدار والي 1+1++ATTYLE : J-C وت القياران رداندار أريخ مددر المحدد مال است این بداز مان مولکرام و مر رمیته فاقد اخبار است. سروى مارى

	مریکی استیباستین اگاه هرزگر شاکتینا پروانه بهداشتر	ئۇساۋىكەرى	» سری test محمد 4. ////// ۲۳/۱۹/۹۲ 25	المان المانية المانية (مانية) المانية المانية (مانية) المانية (مانية)	ج،تا <del>ت)</del> محمیات شگاه علوم بزشکی خمان <b>پروانه بهدا</b> ش	ه بهداشتی درمانی قزوین	ат/пртп "ф тар/-л/та бд ице
۲۸/۱۱۶۴۵ <sup>1</sup> نام فراورده : بنه هدروهل غیر استربل ا	(به شکل سیولی و اوبک)	/ انام تجاری : نسب	-	نام فراورده :		نام تجاری : مزده، ینبه بهداشتی شینیر	
مشخصات پسته بندی : کیب بل ایل ۲۰۰۰ کرمی			ر به بهداشتی در اوران <sup>ر</sup> ف <sup>سرو</sup> و	ینیه عیدروفیل غیر استریل مشخصات پسته بندی: کیسه ا		یزان ۵۰ – ۱۰۰ و ۲۰۰ گرم با گرید بهداشتم	ç.
نام کارخانه : باد های بزنیکی ایران		شماره وتاريخ برواله بهدانت ۲۰۰۸ - ۲۵۸	ر تاسیسی و بهره برناری: ۱۳۸۳ مورج ۲۰۱۷ (۲۸۸۵ مورج ۲۰۱۷)	نام کارخانه : باندهای پزشکی		شماره وتاريخ بروانه يهتاقش تأسيس	س و بهره برداری: ۵/۸۱ مورخ ۲۰۵/۱۱/۰۷
. تشالى كارخانه ، تامىنان - البهاى الدرية	بندي - جنب دانشگاه پيام نور		تلفى : -۲۸-۲۵۲۲۳۱۶		لمربندی -جنب وانشگاه بیام اور		+TA - TOTTT1F4 :2
مودد تسمالی عمر می مهمه کامی سازی به همروزن براکنید کار: مهروزن براکنید کار: الید نسیکی تو و الکل بزین سوانها: بزیرها - ۲۰۰ سازی این این می می می می می استری استری استری می می می می می می می می می می می می می می می م	* ************************************	میکند عزی ورارد بیدان میل تونید و ست بیدان هوا تونید و ست بیدان میل تونید و میکند و برواند میلی عرفید و برواند ا میلی عرفید و برواند ا	ان از برید انیک سالط می ازدند) ر مدنیا بروان مشاکن انسر کن	ینه غام مواد مورد نیاز برای خالس سا میدروزن براکساید ۲۵۵ میدروزن براکساید ۲۹۵ محلوط: انگی قدیل بالی گلیگو انگی بنزی سولتونات (۲۵۰) اب سختی گیری شده	л 2/т т	۵۰ ویژگی های محصول تهایی باید بیا مه دسواط جاری وزارت بیداشت. دره میتوند داشته باشد هم او آولید و بیت بندی پایستی دارای ورود مطر از وزارت بیداشت باشد.	رمان و اموزش بزشنگر ن بروانه ساغت بنا مجنو
این پروانه میافلند می کردد که نر ایند افزای در باد ننده نونید وعرصه کردد اعتار این برواند از استا میل در۲۰۰۰ ریاز هی فتی های نمیزه ۱۳ اهی برواهت ننده است	دهای فوق با منخصات مذکر از تاریخ صدور به مدت بنج ه	ور در تالا و با رهایت طورات و سال مریانند. ۱۹۲۵ مورج ۱۹۷۵ مالان میله	نیز المحالی میروند در الرطب مسروده ۲۰۱۳۲۹ میل مربسان قدریکی مالی آوار ال	اسلاح (به استاد پرواند » استاد برواند » سادرگردید و بروته فیلی از در به استاد مواد کار ه مر 4 کاری م این بروانه موانک می گردد که قر باد نسده تونید و عرفه، گردد اعتیا	ت شماره ۲۰۲۹ – ۲۸/۱۰٬۲۰۲ نبار ساقط می گرند.] وردانی، اشاعیدتی، آرایشی و پیدا دانرآوردههای فوق با مشخصات ی بروانه از تاریخ صدور به مدت یا	and the second to the the second s Second second second Second second	مدید پروانه مداخت قتر کن انترایی مربوطه به موجه معلی مربوطه در کارخان افت قده است ویکی

ادامه پروانه در پشت مخطه

74/1-757	پروانه بهدان	شتی ساخت ⁄	
م قراورده : بنبه توبک سفید با رنگی هیدروفوب	2	انام تجاری : بنبه لوبک فرشته	0,15,1
مخصات بسته بندی: کیـــه از جنس بلی اتیلن ،	سبک و بلی اتیلن	سنگین در اوزان ۵۰ ۲۰۰ و ۲۰۰	لوم با گرید بهداشتی
م کارخانه : باندهای بزنیکی ایران		شمارد وتاریخ بروانه بهدانت ۲۵۹ – ۱۲	ی تاسیس و بهره برداری: ۲۸۱۵۲۱۲۲۸ بورج ۲۰۱۱/۱۵۸۲
نىانى: قروين تاگىنتان- اول جادە كىرىندى تاك	کېټان- روبروي س		تلفن: ۲۵۲۲۲۱۶۰ - ۲۸۰
لوهول توکیس به داد	درسد ۱۹۰۱ - ۱۹۰	فرمول تركينى	درصد
ر بند مربع این (C1: 47665) ر بند این (C1: 42000) ر بند فرمز (C1: 16255)	*-1		باید بنا معیارههای نشی مصوب و
راد مورد نبار برای خانص سازی بنیه خام :		السوابط جناري وزارت بهتا مطابقت دانيته بالسد	نىتە درمىان و اسوړنى بزنىنگى
200 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100	15		شی دارای بروانه ساخت بنا محبوز
و مد سد به	10	ورود مغتبر از وزارت بهداشت	
بالروالي والاسايد فاللا			1000
مروکسید صدید ۱۹۸	4/11		
شتقات البيند يدرب			
بيد استيک ۸۹۸	7		
فلوط الكيل فشل بلى كلنكول الو (٢٠١٠) و الكيل بنزن	1 Ki 2		
وللونات ٣٠ ال			
ی ملبل سیلو الندان	-10		
یا سیجنی کیری شوہ	diale E	340 - The Carlos and	
احلاج (به استاد بروانه ساخت نساره العالم المرابع المثلا بروانه ساخت نساره الارگردید و بروانه قبلی (ودر هداعیان ساطنی، آشاییدا ستانه موالا ۷ و ۸ و ۴ قلتون مواد قبردایی، آشاییدا بروانه موافقه می گردد که قراورده قرار (ودوهای نشده تولید و هرضه گردد اهتاز این بروانه از کاری استاج ۵۰۰۰۰۰ ویال طی قبنی نسازه ۲۵۷۹۴ مین	کرده را ۲۸۸ – ۲۹۵۲ ۲ کرده را این ارایشی و پودا فوق با مشخصات رق صدور به مدت پ	۲۸۱۵۳۱ مورغ ۲۸۱۵۳۱ (۱۹۲۴ یه ۱ تنقی هموب ایر ماد ۱۳۴۶ و الین مذکور در بالا و با رهایت طورات و نخ سال می نشد.	عظور البدريد پروانه ساخت شرکت نامه های اجرایی مربوطه به موجب الین نامه های مربوطه هر کار خانیه

## Note:

 • • • •
 ••••
 ••••
 ••••
 ••••



Headquarters: No. 1 (BPI Bldg.), Kish Dead End, Nelson Mandela (Africa) Blvd, Tehran, Iran. Postal Code: 1518846315 PO Box: 15875-1856 Tel: (9821) 88885001(10 line) Fax: (9821) 8608526 Factory: Payam Noor Rd, Takestan Ring Rd, Takestan, Qazvin, Iran